



Glaisdale Playgroup



Playgroup Leader – Helen Purtil
Ravenscroft, Glaisdale, Whitby, North Yorkshire, YO21 2PR

Ofsted unique ref. 480987

DFES ref.536697

Registered Charity no.1159956

PLA membership no.19734

01 Health and safety policy

Alongside associated procedures in 01.1 to 01.22 Health and safety, this policy was adopted by *Glaisdale Playgroup* on 11/09/2023

Designated Health and Safety Officer is: Helen Purtil

Aim

Our provision is a suitable, clean and safe place for children to be cared for, where they can grow and learn. We meet all statutory requirements for health and safety and fulfil the criteria for meeting the Early Years Foundation Stage Safeguarding and Welfare Requirements.

Objectives

- We recognise that we have a corporate responsibility and duty of care towards those who work in and receive a service from our provision. Individual staff and service users also have responsibility for ensuring their own safety as well as that of others. Adherence to policies and procedures and risk assessment is the key means through which this is achieved.
- Insurance is in place (including public liability) and an up-to-date certificate is always displayed.
- Risk assessment is carried out to ensure the safety of children, staff, parents, and visitors. Legislation requires all those individuals in the given workplace to be responsible for the health and safety of premises, equipment and working practices.
- Smoking is not allowed on the premises, both indoors and outdoors. If children use any public space that has been used for smoking, members of staff ensure that there is adequate ventilation to clear the atmosphere. Staff do not smoke in their work clothes and are requested not to smoke within at least one hour of working with children. The use of electronic cigarettes is not allowed on the premises.

- Staff must not be under the influence of alcohol or any other substance which may affect their ability to care for children. If staff are taking medication that they believe may impair them, they seek further medical advice and only work directly with children if that advice is that the medication is unlikely to impair their ability to look after children. The setting manager must be informed.
- Alcohol must not be bought onto the premises for consumption.
- A risk assessment (01.1a Generic risk assessment) and access audit (01.1b Access audit form) are carried out for each area and the procedure is modified according to needs identified for the specific environment.
- Risk assessments are monitored and reviewed by those responsible for health and safety.

Legal references

Health and Safety at Work etc Act 1974

Health and Safety (Consultation with Employees) Regulations 1996

Management of Health and Safety at Work Regulations (1999)

Regulatory Reform (Fire Safety) Order 2005)

Electricity at Work Regulations (1989)

Regulation (EC) No 852/2004 of the European Parliament and of the Council on the hygiene of foodstuffs

Manual Handling Operations Regulations (1992) (Amended 2002)

Medicines Act (1968)

Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR) (Amendment) Regulations 2012

Control of Substances Hazardous to Health (COSHH) Regulations 2004

Health and Safety (First Aid) Regulations 1981

Childcare Act 2006

Further guidance

[Dynamic Risk Management in the Early Years](#) (Alliance 2017)

Health and Safety Executive www.hse.gov.uk/risk

Food Standards Agency www.food.gov.uk

Ministry of Housing, Communities & Local Government www.communities.gov.uk

04.1 Accidents and emergency treatment

Person responsible for checking and stocking first aid box: *Helen Purtill*

The setting provides care for children and promotes health by ensuring emergency and first aid treatment is given as required. There are also procedures for managing food allergies in section 03 Food safety and nutrition.

- Parents consent to emergency medical treatment consent on registration.
- At least one person who has a current paediatric first aid (PFS) certificate is on the premises and available at all times when children are present [or All staff are paediatric first aiders], who regularly update their training; First Aid certificates are renewed at least every three years.
- All members of staff know the location of First Aid boxes, the contents of which are in line with St John's Ambulance recommendations as follows:
 - 20 individually wrapped sterile plasters (assorted sizes)
 - 2 sterile eye pads
 - 4 individually wrapped triangular bandages (preferably sterile)
 - 6 safety pins
 - 2 large, individually wrapped, sterile, un-medicated wound dressings
 - 6 medium, individually wrapped, sterile, un-medicated wound dressings
 - a pair of disposable gloves
 - adhesive tape
 - a plastic face shield (optional)
- No other item is stored in a First Aid box.
- Vinyl single use gloves are also kept near to (not in) the box, as well as a thermometer.
- There is a named person in the setting who is responsible for checking and replenishing the First Aid Box contents.
- A supply of ice is kept in the milk kitchen and main kitchen fridges.
- For minor injuries and accidents, First Aid treatment is given by a qualified first aider; the event is recorded in the setting's Accident Record book. Parents may have a photo-copy of the accident form on request.
- In the event of minor injuries or accidents, parents are normally informed when they collect their child, unless the child is unduly upset or members of staff have any concerns about the injury. In which case they will

contact the parent for clarification of what they would like to do, i.e. collect the child or take them home and seek further advice from NHS 111.

Serious accidents or injuries

- An ambulance is called for children requiring emergency treatment.
- First aid is given until the ambulance arrives on scene. If at any point it is suspected that the child has died, 06.10 Death of a child on site procedure is implemented and the police are called immediately.
- The registration form is taken to the hospital with the child.
- Parents or carers are contacted and informed of what has happened and where their child is being taken to.
- The setting manager arranges for a taxi to take the child and carer to hospital for further checks, if deemed to be necessary.

Recording and reporting

- In the event of a serious accident, injury, or serious illness, the designated person notifies the designated officer using 6.1c Confidential safeguarding incident report form as soon as possible.
- The setting manager is consulted before a RIDDOR report is filed.
- If required, a RIDDOR form is completed; one copy is sent to the parent, one for the child's file and one for the local authority Health and Safety Officer.
- The owners/directors/trustees are notified by the setting manager of any serious accident or injury to, or serious illness of, or the death of, any child whilst in their care in order to be able to notify Ofsted and any advice given will be acted upon. Notification to Ofsted is made as soon as is reasonably practicable and always within 14 days of the incident occurring. The designated person will, after consultation with the owners/directors/trustees, inform local child protection agencies of these events

Further guidance

[Accident Record](#) (Early Years Alliance 2019)

04.2 Administration of medicine

Key persons are responsible for administering medication to their key children; ensuring consent forms are completed, medicines stored correctly and records kept.

Administering medicines during the child's session will only be done if absolutely necessary.

If a child has not been given a prescription medicine before, especially a baby/child under two, it is advised that parents keep them at home for 48 hours to ensure no adverse effect, and to give it time to take effect. The setting managers must check the insurance policy document to be clear about what conditions must be reported to the insurance provider.

Consent for administering medication

- Only a person with parental responsibility (PR), or a foster carer may give consent. A childminder, grandparent, parent's partner who does not have PR, cannot give consent.
- When bringing in medicine, the parent informs their key person/back up key person, or room senior if the key person is not available. The setting manager should be also be informed.
- Staff who receive the medication, check it is in date and prescribed specifically for the current condition. It must be in the original container (not decanted into a separate bottle). It must be labelled with the child's name and original pharmacist's label if prescribed.
- Medication dispensed by a hospital pharmacy will not have the child's details on the label but should have a dispensing label. Staff must check with parents and record the circumstance of the events and hospital instructions as relayed to them by the parents.
- Members of staff who receive the medication ask the parent to sign a consent form stating the following information. No medication is given without these details:
 - full name of child and date of birth
 - name of medication and strength
 - dosage to be given
 - how the medication should be stored and expiry date
 - a note of any possible side effects that may be expected
 - signature and printed name of parent and date

Storage of medicines

All medicines are stored safely. Refrigerated medication is stored separately or clearly labelled in the milk kitchen fridge, or in a marked box in the main kitchen fridge.

Insert details of how medicines are stored. State how members of staff are informed

- The key person is responsible for ensuring medicine is handed back at the end of the day to the parent.

- For some conditions, medication for an individual child may be kept at the setting. 04.2a Healthcare plan form must be completed. Key persons check that it is in date and return any out-of-date medication to the parent.
- Parents do not access where medication is stored, to reduce the possibility of a mix-up with medication for another child, or staff not knowing there has been a change.

Record of administering medicines

A record of medicines administered is kept near to the medicine cabinet or in the child's group room, or in the setting manager's office. Settings can choose which works best for them, as long as members of staff are aware and it is consistent.

Insert details of where medicine record books are kept in your setting. State how members of staff are informed of this and how they will be taught to complete them correctly.

The medicine record book records:

- name of child
- name and strength of medication
- the date and time of dose
- dose given and method
- signed by key person/setting manager
- verified by parent signature at the end of the day

A witness signs the medicine record book to verify that they have witnessed medication being given correctly according to the procedures here.

- No child may self-administer. If children are capable of understanding when they need medication, e.g. for asthma, they are encouraged to tell their key person what they need. This does not replace staff vigilance in knowing and responding.
- The medication records are monitored to look at the frequency of medication being given. For example, a high incidence of antibiotics being prescribed for a number of children at similar times may indicate a need for better infection control.

Children with long term medical conditions requiring ongoing medication

- Risk assessment is carried out for children that require ongoing medication. This is the responsibility of the setting manager and key person. Other medical or social care personnel may be involved in the risk assessment.

- Parents contribute to risk assessment. They are shown around the setting, understand routines and activities and discuss any risk factor for their child.
- For some medical conditions, key staff will require basic training to understand it and know how medication is administered. Training needs is part of the risk assessment.
- Risk assessment includes any activity that may give cause for concern regarding an individual child's health needs.
- Risk assessment also includes arrangements for medicines on outings; advice from the child's GP's is sought if necessary, where there are concerns.
- 04.2a Health care plan form is completed fully with the parent; outlining the key person's role and what information is shared with other staff who care for the child.
- The plan is reviewed every six months (more if needed). This includes reviewing the medication, for example, changes to the medication or the dosage, any side effects noted etc.

Managing medicines on trips and outings

- Children are accompanied by their key person, or other staff member who is fully informed about their needs and medication.
- Medication is taken in a plastic box labelled with the child's name, name of medication, copy of the consent form and a card to record administration, with details as above.
- The card is later stapled to the medicine record book and the parent signs it.
- If a child on medication has to be taken to hospital, the child's medication is taken in a sealed plastic box clearly labelled as above.

Staff taking medication

Staff taking medication must inform their manager. The medication must be stored securely in staff lockers or a secure area away from the children. The manager must be made aware of any contra-indications for the medicine so that they can risk assess and take appropriate action as required.

Further guidance

[Medication Administration Record](#) (Early Years Alliance 2019)

04.3 Life-saving medication and invasive treatments

Life-saving medication and invasive treatments may include adrenaline injections (Epipens) for anaphylactic shock reactions (caused by allergies to nuts, eggs etc) or invasive treatment such as rectal administration of Diazepam (for epilepsy).

- The key person responsible for the intimate care of children who require life-saving medication or invasive treatment will undertake their duties in a professional manner having due regard to the procedures listed above.
- The child's welfare is paramount, and their experience of intimate and personal care should be positive. Every child is treated as an individual and care is given gently and sensitively; no child should be attended to in a way that causes distress or pain.
- The key person works in close partnership with parents/carers and other professionals to share information and provide continuity of care.
- Children with complex and/or long-term health conditions have a health care plan (04.2a) in place which takes into account the principles and best practice guidance given here.
- Key persons have appropriate training for administration of treatment and are aware of infection control best practice, for example, using personal protective equipment (PPE).
- Key persons speak directly to the child, explaining what they are doing as appropriate to the child's age and level of comprehension.
- Children's right to privacy and modesty is respected. Another educator is usually present during the process.

Record keeping

For a child who requires invasive treatment the following must be in place from the outset:

- a letter from the child's GP/consultant stating the child's condition and what medication if any is to be administered
- written consent from parents allowing members of staff to administer medication
- proof of training in the administration of such medication by the child's GP, a district nurse, children's nurse specialist or a community paediatric nurse
- a healthcare plan (04.2a)

Copies of all letters relating to these children must be sent to the insurance provider for appraisal. Confirmation will then be issued in writing confirming that the insurance has been extended. A record is made in the medication record book of the intimate/invasive treatment each time it is given.

Physiotherapy

- Children who require physiotherapy whilst attending the setting should have this carried out by a trained

physiotherapist.

- If it is agreed in the health care plan that the key person should undertake part of the physiotherapy regime then the required technique must be demonstrated by the physiotherapist personally; written guidance must also be given and reviewed regularly. The physiotherapist should observe the educator applying the technique in the first instance.

Safeguarding/child protection

- Educators recognise that children with SEND are particularly vulnerable to all types of abuse, therefore the safeguarding procedures are followed rigorously.
- If an educator has any concerns about physical changes noted during a procedure, for example unexplained marks or bruising then the concerns are discussed with the designated person for safeguarding and the relevant procedure is followed.

Treatments such as inhalers or Epi-pens must be immediately accessible in an emergency.

04.4 Allergies and food intolerance

When a child starts at the setting, parents are asked if their child has any known allergies or food intolerance. This information is recorded on the registration form.

- If a child has an allergy or food intolerance, 01.1a Generic risk assessment form is completed with the following information:
 - the risk identified – the allergen (i.e. the substance, material or living creature the child is allergic to such as nuts, eggs, bee stings, cats etc.)
 - the level of risk, taking into consideration the likelihood of the child coming into contact with the allergen
 - control measures, such as prevention from contact with the allergen
 - review measures
- 04.2a Health care plan form must be completed with:
 - the nature of the reaction e.g. anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
 - managing allergic reactions, medication used and method (e.g. EpiPen)
- The child's name is added to the Dietary Requirements list.

- A copy of the risk assessment and health care plan is kept in the child's personal file and is shared with all staff and is also kept in the cook's Food Allergy and Dietary Needs file.
- Parents show staff how to administer medication in the event of an allergic reaction.
- Generally, no nuts or nut products are used within the setting.
- Parents are made aware, so that no nut or nut products are accidentally brought in.
- Any foods containing food allergens are identified on children's menus.

Oral Medication

- Oral medication must be prescribed or have manufacturer's instructions written on them.
- Staff must be provided with clear written instructions for administering such medication.
- All risk assessment procedures are adhered to for the correct storage and administration of the medication.
- The setting must have the parents' prior written consent. Consent is kept on file.

For other life-saving medication and invasive treatments please refer to 04.2 Administration of medicine.

04.5 Poorly children

- If a child appears unwell during the day, for example has a raised temperature, sickness, diarrhoea* and/or pains, particularly in the head or stomach then the setting manager calls the parents and asks them to collect the child or send a known carer to collect on their behalf.
- If a child has a raised temperature, they are kept cool by removing top clothing, sponging their heads with cool water and kept away from draughts.
- A child's temperature is taken and checked regularly, using Fever Scans or other means i.e. ear thermometer.
- If a baby's temperature does not go down, and is worryingly high, then Calpol may be given after gaining verbal consent from the parent where possible. This is to reduce the risk of febrile convulsions, particularly for babies under 2 years old. Parents sign the medication record when they collect their child.**
- In an emergency an ambulance is called and the parents are informed.

- Parents are advised to seek medical advice before returning them to the setting; the setting can refuse admittance to children who have a raised temperature, sickness and diarrhoea or a contagious infection or disease.
- Where children have been prescribed antibiotics for an infectious illness or complaint, parents are asked to keep them at home for 48 hours.
- After diarrhoea or vomiting, parents are asked to keep children home for 48 hours following the last episode.
- Some activities such as sand and water play and self-serve snack will be suspended for the duration of any outbreak.
- The setting has information about excludable diseases and exclusion times.
- The setting manager notifies their line manager if there is an outbreak of an infection (affects more than 3-4 children) and keeps a record of the numbers and duration of each event.
- The setting manager has a list of notifiable diseases and contacts Public Health England (PHE) and Ofsted in the event of an outbreak.
- If staff suspect that a child who falls ill whilst in their care is suffering from a serious disease that may have been contracted abroad such as Ebola, immediate medical assessment is required. The setting manager or deputy calls NHS111 and informs parents.

HIV/AIDS procedure

HIV virus, like other viruses such as Hepatitis, (A, B and C), are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults.

- Single use vinyl gloves and aprons are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.
- Protective rubber gloves are used for cleaning/slucing clothing after changing.
- Soiled clothing is rinsed and bagged for parents to collect.
- Spills of blood, urine, faeces or vomit are cleared using mild disinfectant solution and mops; cloths used are disposed of with clinical waste.
- Tables and other furniture or toys affected by blood, urine, faeces or vomit are cleaned using a disinfectant.
- Baby mouthing toys are kept clean and plastic toys cleaned in sterilising solution regularly.

Nits and head lice

- Nits and head lice are not an excludable condition; although in exceptional cases parents may be asked to keep the child away from the setting until the infestation has cleared.
- On identifying cases of head lice, all parents are informed and asked to treat their child and all the family, using current recommended treatments methods if they are found.

*Diarrhoea is defined as 3 or more liquid or semi-liquid stools in a 24-hour period.

(www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities/chapter-9-managing-specific-infectious-diseases#diarrhoea-and-vomiting-gastroenteritis)

****Paracetamol based medicines (e.g. Calpol)**

The use of paracetamol-based medicine may not be agreed in all cases. A setting cannot take bottles of non-prescription medicine from parents to hold on a 'just in case' basis, unless there is an immediate reason for doing so. Settings do not normally keep such medicine on the premises as they are not allowed to 'prescribe'. However, given the risks to very young babies of high temperatures, insurers may allow minor infringement of the regulations as the risk of not administering may be greater. Ofsted is normally in agreement with this. In all cases, parents of children under two years must sign to say they agree to the setting administering paracetamol-based medicine in the case of high temperature on the basis that they are on their way to collect. Such medicine should never be used to reduce temperature so that a child can stay in the care of the setting for a normal day. The use of emergency medicine does not apply to children over 2 years old. A child over two who is not well, and has a temperature, must be kept cool and the parents asked to collect straight away.

Whilst the brand name Calpol is referenced, there are other products which are paracetamol or Ibuprofen based pain and fever relief such as Nurofen for children over 3 months.

Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance 2009)

[Medication Administration Record](#) (Early Years Alliance 2019)

Guidance on infection control in schools and other childcare settings (Public Health Agency)

https://www.publichealth.hscni.net/sites/default/files/Guidance_on_infection_control_in%20schools_poster.pdf

4.5(a) Managing a suspected case of Coronavirus

The main symptoms of coronavirus are:

- a high temperature
- a new continuous cough – this means coughing a lot, for more than an hour, or three or more coughing episodes in 24 hours
- a loss of change to smell or taste – this means they cannot smell or taste anything, or things smell or taste different to normal

Please refer to the latest government guidance on [next-steps-for-living-with-COVID](#). If it is suspected that a child has COVID, staff do not attempt to diagnose or make assumptions about symptoms presented. They should immediately respond and take action as detailed in this procedure. This includes asking parents/carers to seek further advice from a medical practitioner who may/or may not advise that the symptoms meet the criteria for testing. In which case if the child appears well and displays no further suspect symptoms, they can return to the setting within the timescale advised by the medical practitioner.

The focus on coronavirus must not detract from staff being alert to the signs and symptoms linked to other serious illness as detailed below:

What to do if a child seems very unwell

Children and babies will still get illnesses that can make them very unwell quickly. It is important to get seek medical help and to contact the child's parents immediately.

Call 999 if a child:

- has a stiff neck
- has a rash that does not fade when you press a glass against it
- is bothered by light
- has a seizure or fit for the first time
- has unusually cold hands
- has pale, blotchy, blue or grey skin
- has a weak, high-pitched cry that is not like their usual cry
- is extremely agitated (does not stop crying) or is confused
- finds it hard to breathe
- has a soft spot on their head that curves outwards
- is not responding like they normally do

Being prepared

- All staff are aware of this procedure and their responsibility if a child becomes unwell with coronavirus symptoms at the setting.
- Staff are instructed in how to remove and dispose of PPE equipment safely – this includes aprons and gloves worn during routine care procedures. We display the [NHS guide to putting on and removing PPE](#).

If a child becomes unwell

- If a child is displaying any of the symptoms of coronavirus. The manager/deputy calls their parents to collect them immediately. Current guidance states that: *'If a child or young person has a positive COVID-19 test result they should try to stay at home and where possible avoid contact with other people for 3 days after the day they took the test. The risk of passing the infection on to others is much lower after 3 days, if they feel well and do not have a high temperature. Children and young people who usually attend an education or childcare setting and who live with someone who has a positive COVID-19 test result should continue to attend as normal.'*
- We will maintain contact with the parent(s) of the child who was sent home, and ensure they know that their child is entitled to a test and encourage them to get their child tested. To access testing parents should use the [111 online coronavirus service](#).
- We will ask the parent(s) to let us know the outcome as soon as possible.
- If the test result is positive we will inform all other parents that a child has tested positive and remind them to be aware of the symptoms to look out for.
- We will inform our local authority if a child, or staff member in the setting tests positive for coronavirus.

04.05b Infection control

Good practice infection control is paramount in early years settings. Young children's immune systems are still developing, and they are therefore more susceptible to illness.

Prevention

- Minimise contact with individuals who are unwell by ensuring that those who have symptoms of an infectious illness do not attend settings and stay at home for the recommended exclusion time (see below UKHSA link).
- Always clean hands thoroughly, and more often than usual where there is an infection outbreak.
- Ensure good respiratory hygiene amongst children and staff by promoting 'catch it, bin it, kill it' approach.
- Where necessary, for instance, where there is an infection outbreak, wear appropriate PPE.

Response to an infection outbreak

- Manage confirmed cases of a contagious illness by following the guidance from the [UK Health Security Agency \(UKHSA\)](#)

Informing others

Early years providers have a duty to inform Ofsted of any serious accidents, illnesses or injuries as follows:

- anything that requires resuscitation

- admittance to hospital for more than 24 hours
- a broken bone or fracture
- dislocation of any major joint, such as the shoulder, knee, hip or elbow
- any loss of consciousness
- severe breathing difficulties, including asphyxia
- anything leading to hypothermia or heat-induced illness

In some circumstances this may include a confirmed case of a Notifiable Disease in their setting, if it meets the criteria defined by Ofsted above. Please note that it is not the responsibility of the setting to diagnose a notifiable disease. This can only be done by a clinician (GP or Doctor). If a child is displaying symptoms that indicate they may be suffering from a notifiable disease, parents must be advised to seek a medical diagnosis, which will then be 'notified' to the relevant body. Once a diagnosis is confirmed, the setting may be contacted by the UKHSA, or may wish to contact them for further advice.

Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance 2009)

04.06 Oral health

The setting provides care for children and promotes health through promoting oral health and hygiene, encouraging healthy eating, healthy snacks and tooth brushing.

- Fresh drinking water is available at all times and easily accessible.
- Sugary drinks are not served.
- In partnership with parents, babies are introduced to an open free-flowing cup at 6 months and from 12 months are discouraged from using a bottle.
- Only water and milk are served with morning and afternoon snacks.
- Children are offered healthy nutritious snacks with no added sugar.
- Parents are discouraged from sending in confectionary as a snack or treat.
- Staff follow the Infant & Toddler Forum's Ten Steps for Healthy Toddlers.

Pacifiers/dummies

- Parents are *advised* to stop using dummies/pacifiers once their child is 12 months old.
- Dummies that are damaged are disposed of and parents are told that this has happened

Further guidance

Infant & Toddler Forum: Ten Steps for Healthy Toddlers www.infantandtoddlerforum.org/toddlers-to-preschool/healthy-eating/ten-steps-for-healthy-toddlers/